


PERCEIVING DEPTH AND SIZE





Cue Approach

- Identifies information on the retina
- Correlates it with the depth of the scene
- Different cues
- Previous knowledge

Slide 3

ICS 280: Visual Perception



Depth Cues

- Oculomotor
- Monocular
- Binocular

Slide 4



Oculomotor Cues

- Convergence
 - Inward movement for nearby objects
 - Outward movements for farther objects
- Accommodation
 - Tightening of muscles the change the shape of the lens





Slide 5

ICS 280: Visual Perception





Monocular Cues (Pictorial)


- Occlusion
- Relative height
- Cast shadows
- Relative size
- Familiar size


- Atmospheric perspective
- Linear perspective
- Texture gradient
- Movement-based cues
 - Motion Parallax
 - Deletion and accretion


Slide 6





















Presence of Ground

- It helps in perception
- Removal of ground causes difficulty in perception


Slide 15

ICS 280: Visual Perception





Motion Parallax

- Further points have lesser parallax
- Closer points move less



Slide 16








Binocular Disparity and Stereopsis

- Binocular disparity
 - Difference in the images of the two eyes
- Stereopsis
 - Disparity is transformed into perception of depth
- Discove




Slide 19





Corresponding Retinal Points



Disparity is defined by the angle between the image of a point and the corresponding point of its image on the other eye subtended from focus


Slide 21

ICS 280: Visual Perception



Crossed and Uncrossed Disparity

- For points in front of the horopter
 - The image is on the inner side of the retina from the image of a point on horopter
- For points behind the horopter
 - The image is on the outer side of the retina from the image of a point on horopter




Slide 22



Disparity in Brain

- Striate cortex has binocular depth cells or disparity detectors
- Disparity selective cells
- Also selective about crossed or uncrossed disparity
- However, important is to solve the correspondence problem
 - Matching images of the same point on two different eyes
 - Only after this we can find the disparity

Slide 23





Depth perception in other species


- Frontal Eyes needed for binocular disparity
 - Rabbits etc cannot use disparity for depth
 - Pigeon has 35 degree overlap
- Other informations
 - Notonecta : Movement in retina
 - Locust : Movement parallax
 - Bat : Sonar cues


Slide 25

ICS 280: Visual Perception





SIZE
























Moon Illusion

- Apparent distance theory
- Angular size-contrast theory